



EMBER PROTECTION

HEARTH CLASSICS

BY American Panel

THERMAL PROTECTION

FEATURE & BENEFITS

Dress up your stove and protect your home with a Hearth Classics hearth pad. We make a pad for every home, every stove, and every budget.

- Two frame styles to choose from (Type 1 max size is 54" x 48").
- Original edge available in Type 1 (up to and including 54" x 48") and Type 2 in any size.
- Classic edge available in Type 2 only.
- Durable tube aluminum frames.
- Handcrafted in the USA using natural stone and ceramic tile.
- Two levels of protection to meet the safety needs of every stove.
- Powder-coated frame.
- Sturdy backing board and latex modified thinset ensure maximum strength.
- Tested to UL1618 Standard.
- Easy installation. Simply lay the pad on top of you floor.
- Don't see the size you need? We'll gladly make it for you.
- Matching pedestals raise your stove up 6" for better viewing and easier loading.
- Matching wall pads can reduce clearances to a combustibile wall and create a beautiful effect.



Black Hills

TILE AND SLATE OPTIONS



Desert Canyon



Sonora / Desert



Canyon



Desert



Olympic Gray



Charcoal



D'Africa



Black Hills



Arctic Sky



Flagstone (color varies)



Indian Slate



Mica



Used Brick




Travertine

EDGE OPTIONS



Original Edge - Available as Type 1 (max size 54"x48") and Type 2 in any size.



Classic Edge - Available as Type 2 only.

EMBERS VS. THERMAL PROTECTION

With stoves burning cleaner and hotter than ever before, a traditional ember protector or homemade hearth may not protect the combustible floor. Building codes and safety standards now require the hearth pad to provide adequate thermal protection based on the stove model. We offer two levels of protection to meet the needs of any stove.

TYPE 1 – EMBER PROTECTION

(ORIGINAL EDGE ONLY - MAX SIZE 54"X48")


All wood, pellet, coal, corn and most gas stoves require hearth protection. But some newer stoves produce enough heat directed down and forward that at a Type 1 – Ember Protector won't stop the heat from passing through to the floor beneath your stove. This can be hazardous.

TYPE 2 – THERMAL PROTECTOR (R-VALUE 1.61)


For today's highly efficient stoves, a Hearth Classics non-combustible ThermaShield™ pad will block the heat from passing through to your subfloor. For stoves requiring a higher R-value, a ThermaShield™ Low-Profile or 6" pedestal can increase the protection to R=10.

WHICH DO I NEED?

Check your stove's manual for the required hearth protection or ask your stove dealer what Type is right for your stove.



All our hearth pads provide protection for a stove requiring Ember Protection.



Some stoves produce enough heat that a Thermal Protector is required to protect the floor beneath your stove.

CUSTOM PADS & DECORATIVE INLAYS

We specialize in custom pads. We can cut a hole for your pipe, make an odd angle to fit your room, use your tile to match the rest of your house, you name it. We also offer three beautiful inlays that will draw all eyes to your stove. We can add an inlay to any tiled pad. Your options are endless.



Venice Inlay



Filagree Inlay



Stone Diamond Inlay



ACCESSORIES

DIMENSIONS

Wall pads are available for flat walls or corners. They beautifully frame your stove and may reduce clearances to a combustible wall. Wall mounting brackets are available and, when used, will space wall pads 1" from the wall and 1" above the hearth pad.



Standard floor and wall pad

The Low-Profile Base raises the R-value of our Type 2 pads to R=3.69. It elevates the pads by 1" and is great for installations on thick carpet. Available for Classic or Original Edge pads.



Classic Edge pad with a Low-Profile Base

6" Risers Want to raise your stove for better viewing? Don't want to bend over to load wood? Our 6" matching pedestals are a great looking solution. ThermaShield™ inserts can increase the R-value to R=10.



Original Edge with matching 6" pedestal

Shapes (inches)	A	B	C	D	E	F
EXTENSION						
12 Extension	12	48	7 ¾	39 ½	6	NA
18 Extension	18	48	13 ¾	39 ¾	6	NA
CORNER (SL)						
32 SL	32	32	26 ½	26 ½	8	42
36 SL	36	36	30 ½	30 ½	12	43
40 SL	40	40	31 ½	31 ½	12	50
48 SL	48	48	37 ½	37 ½	15	60
54 SL	54	54	43 ½	43 ½	15	69
60 SL	60	60	49 ½	49 ½	15	77
STANDARD (DL)						
32 DL	32	32	26 ½	20 ½	8	NA
36 DL	36	36	30 ½	24 ½	8	NA
40 DL	40	40	31 ½	23	12	NA
48 DL	48	48	37 ½	27	15	NA
48D x 40WDL	48	40	39 ½	23	12	NA
48D x 54W DL	48	54	37 ½	39	15	NA
54D x 48W DL	54	48	43 ½	27	15	NA
54 DL	54	54	43 ½	27	15	NA
60 DL	60	60	49 ½	39	15	NA
OCTAGON (OCT)						
24x32 OCT	24	32	16	23 ½	6	NA
24x36 OCT	24	36	16	27 ½	6	NA
WALL (SQ)						
36x48 SQ	48	36	NA	NA	NA	NA
40x48 SQ	48	40	NA	NA	NA	NA
48x48 SQ	48	48	NA	NA	NA	NA
54x48 SQ	48	54	NA	NA	NA	NA






Dimensions are measured to the outside of the frame of an original edge Type 2, Classic Edge will be slightly larger and original edge type 1 will be slightly smaller.

Dimensions are in inches.

Tiled pads are 1¼" thick. Stone and Brick pads are 1½" thick.

Type 1 max size is 54" x 48".

We gladly make custom sizes and shapes.



HEARTH CLASSICS
BY American Panel

www.hearthclassics.com
MADE IN USA