

HEARTH CLASSICS

BY American Panel



Ember & Thermal Protection

Protection for Your Floors

TYPE 1 - Ember Defender

Steel Hearth Pads (Ember Protection Only)

All wood, pellet, coal and corn stoves require a hearth protector. Most require only protection from falling embers. But some stoves produce enough heat directed down and forward that a Type 1 – Ember Protector won't stop the heat from passing through to the floor beneath the stove.

Color Options

The Ember Defender steel hearth pad is available in black, which is slightly textured and the same on both sides. The Ember Defender is also available with an Artisan finish, done by lightly grinding the steel and applying heat to one side. When complete, a clear powder-coat is applied to both sides. The result is one side will have more of a Bronze/Blue color, and the other will have more of a Blue/Bronze color. No two will ever be the same.

- Provides excellent Type 1 protection.
- Heavy gauge powder-coated steel.
- No removal of carpeting required.
- Listed to UL 1618 tested protection for your family's safety/security.
- Ground strap kit available if needed.
- Manufactured in the USA.



Heat Protection for Floors

TYPE 2 - Traditional Hearth Pads

(Ember & Thermal Protection)

For today's highly efficient stoves, a Hearth Classics non-combustible hearth pad will block the heat from passing through to your subfloor. Fully non-combustible, with an R-value of 2.24 or 1.592 (R-value information), it provides protection well above the minimum requirements for Type 2 hearth pads (minimum requirement of R-value=1.0). ThermaShield or a 6" pedestal is recommended for hearth pads requiring an extremely high R-value. All our pads are tested to meet or exceed UL1618.

Original Edge Frame

Hearth Pads Sizes up to 48" x 54"

With R-Value of 2.24

- 1" frame
- 30% lighter than other hearth pads
- Single 1/2" non-combustible substrate with significantly higher R-Value than other substrates

Hearth Pads Sizes 54" or Larger

With R-Value of 1.592

- 1-1/4" frame
- Two substrates equal to 3/4", these substrates provide a slightly lower R-Value than the single substrate in our 1" frame
- Two substrates are required to provide strength for larger hearth pads



Classic Edge Frame

Hearth Pads Available in Any Size With R-Value of 1.592


- 1-1/4" frame
- Utilizes two substrates equal to 3/4", these substrates provide a slightly lower R-Value than the single substrate in our 1" frame
- Two substrates are required to provide strength for larger hearth pads and the thickness required for our Classic Edge




Traditional Hearth Pad Tile Colors

Select from a large variety of tile colors that will look best with your stove and home. Looking for a more complex color combination? Add extra beauty to your stove while still providing great protection with a two-tone tile hearth pad.

Current tile offerings are subject to change, and the actual color of tile may vary from the product picture.
Tile shown in any lifestyle pictures may or may not be available.

A rectangular tile with a dark, charcoal gray color and a subtle, mottled texture. The tile is shown at an angle, highlighting its three-dimensional shape.

Olympic Gray

A rectangular tile with a warm, earthy brown color and a slightly textured surface. The tile is shown at an angle, highlighting its three-dimensional shape.

Canyon

A rectangular tile with a light beige or cream color, featuring a subtle, mottled texture. The tile is shown at an angle, highlighting its three-dimensional shape.

Sonora Desert

A rectangular tile with a light tan or beige color, featuring a subtle, mottled texture. The tile is shown at an angle, highlighting its three-dimensional shape.

Desert

A rectangular tile with a warm, earthy brown color, featuring a subtle, mottled texture. The tile is shown at an angle, highlighting its three-dimensional shape.


Desert Canyon

A rectangular tile with a light gray or off-white color, featuring a subtle, mottled texture. The tile is shown at an angle, highlighting its three-dimensional shape.

Arctic Sky

A rectangular tile with a dark, charcoal gray color, featuring a subtle, mottled texture. The tile is shown at an angle, highlighting its three-dimensional shape.

Black Hills


A rectangular tile with a dark, charcoal gray color, featuring a subtle, mottled texture. The tile is shown at an angle, highlighting its three-dimensional shape.

Charcoal


Slate/Stone/Brick Colors

Natural Cleft Slate is the most popular texture for slate flooring. The surface is moderately rough, giving your hearth pad a slip-resistant and very unique appearance. If you want a more earthen feel and antiqued look for your hearth pad, Tumbled Slate is a versatile material that aesthetically adds to the interior of any home. Choose our Used Brick for a traditional hearth pad look.

Color of slate, stone or brick will vary from product pictures as these are natural stone.



NEW Montana Stone



Indian Slate



Flagstone



Mica



Used Brick

Custom Pads and Decorative Inlays

We specialize in custom pads. We can cut a hole for your pipe, make a custom size to fit your specific needs, use your tile to match the rest of your house, you name it. We also offer an attractive inlay that will draw all eyes to your stove. We can add an inlay to any tiled pad. Your options are endless.



Venice Inlay



Accessories

Wall Pads

Our fully non-combustible wall pads are available for flat walls or corners for the Original or Classic Edge pads. We make matching wall pads to go with every size floor pad, even custom sizes. Our mounting brackets raise the pad 1" off the floor pad and hold it 1" away from the wall. This mounting system, along with our fully non-combustible design, can reduce clearances to a combustible wall up to 66% in many cases. Talk with your stove dealer and check your stove manual for clearance requirements for your stove.

- Available for standard (single wall board) and corner (two wall boards) installations.
- All Original Edge wall pads regardless of size will be built with the 1-1/4" frame.
- May reduce clearances to combustible walls.
- Mounting brackets are available to space wall pad(s) - 1" off floor hearth pad and 1" away from the wall.
- Provides an attractive hearth setting for your stove.



Pedestals for Hearth Pads

Matching pedestal available for all sizes and shapes, including special orders. Pedestals are offered in tile, slate, stone or brick and are designed and built to be slightly smaller than the hearth pad. The hearth pad will overhang the pedestal on all sides.

Standard Pedestal - 6" Height

- Available with or without thermal value: No thermal value – pedestal will include a 3/4" solid top surface (not just framing)
- Thermal Value Pedestal: R-Value of 2.08 includes 1" mineral fiberboard, R-Value of 3.12 includes 1-1/2" mineral fiberboard
- These two options when combined with the hearth pad will increase the total R-Value to a minimum of 3.67 and 4.71 respectively
- Solid 3/4" surface is installed under the mineral fiberboard and is not included in the R-Value rating

Low-Profile Pedestal

- Two layers of mineral fiberboard installed in our Original Edge 1" frame raises the R-Value by 2.08 for a total R-Value of 3.67 or 4.32 depending on the frame of the hearth pad
- Designed and built to be slightly smaller than the hearth pad - makes a great base for installations on thick carpet and/or padding
- Available for use with either of the Original Edge or the Classic Edge frames



Shapes and Sizes

Our pads are offered in most popular sizes and shapes. Please consult your stove's owner's manual to determine the clearance requirements of your stove. Your hearth pad dealer can then help you choose the most appropriate pad size and shape for your home. Custom sizes welcomed but cannot exceed 60".






Measurements

Shapes (inches)	A	B	C	D	E	F
Extension						
12 Extension	12	48	7 ¾	39 ½	6	NA
18 Extension	18	48	13 ¾	39 ¾	6	NA
Corner (sl)						
32 SL	32	32	26 ½	26 ½	8	42
36 SL	36	36	30 ½	30 ½	12	45
40 SL	40	40	31 ½	31 ½	12	50
48 SL	48	48	37 ½	37 ½	15	60
54 SL	54	54	43 ½	43 ½	15	69
60 SL	60	60	49 ½	49 ½	15	77
Standard (dl)						
32 DL	32	32	26 ½	20 ½	8	NA
36 DL	36	36	30 ½	24 ½	8	NA
40 DL	40	40	31 ½	23	12	NA
48 DL	48	48	37 ½	27	15	NA
48D x 40WDL	48	40	39 ½	23	12	NA
48D x 54W DL	48	54	37 ½	39	15	NA
54D x 48W DL	54	48	43 ½	27	15	NA
54 DL	54	54	43 ½	27	15	NA
60 DL	60	60	49 ½	39	15	NA
Octagon (oct)						
24x32 OCT	24	32	16	23 ½	6	NA
24x36 OCT	24	36	16	27 ½	6	NA
Wall (sq)						
36x48 SQ	48	36	NA	NA	NA	NA
40x48 SQ	48	40	NA	NA	NA	NA
48x48 SQ	48	48	NA	NA	NA	NA
54x48 SQ	48	54	NA	NA	NA	NA

Dimensions are measured to the outside of the frame of an original edge Type 2. Classic Edge will be slightly larger and the Original Edge 1" frame will be slightly smaller.

Dimensions are in inches.

Tile hearth pads are 1" thick or 1-1/4" thick depending on frame. The slate, stone and brick hearth pads may be slightly thicker.



HEARTH CLASSICS

BY American Panel

www.hearthclassics.com • Made in USA

4/2020